


Interchange Element Data Sheet

Data sheet created using the Parker Par Fit Toolkit software.

Creation Date:	03/08/2018
Datasheet No:	DS1547W
Parker Part No:	940391Q
OEM:	Internormen / Eaton
OEM Part No:	01.E120.10VG.16.S.P

Product Dimensions

A (mm)	55.0	(inch)	2.17
C (mm)	26.0	(inch)	1.02
D (mm)	55	(inch)	2.17
E (mm)	168.0	(inch)	6.61



Construction Materials

Seal(s):	FPM: Fluoroelastomer
Top Endcap:	Mild steel tin plated
Bottom Endcap:	Mild steel tin plated
Inner Support Cylinder:	Mild steel tin plated
Filter Media:	Multilayer fibreglass with coated mesh on both sides

Calculated Performance Criteria

Differential Pressure (Δp):	bar @ l/min
Tested to ISO3968 @ 32 cSt	psi @ gpm
Efficiency:	>Beta 200 @ 10 microns & greater >Beta 1000 @ 12 microns & greater
Minimum Collapse Pressure:	>20 bar
Tested to ISO2941	>290 psi
Dirt Holding Capacity acc. to ISO16889	>23.0 gram @ 5 bar terminal pressure drop >23.0 gram @ 73 psi terminal pressure drop