

-Parker


Interchange Element Data Sheet

Data sheet created using the Parker Par Fit Toolkit software.

| Creation Date: | 03/08/2018 |
|-----------------|---------------|
| Datasheet No: | DS1524W |
| Parker Part No: | 943748Q |
| OEM: | MP Filtri |
| OEM Part No: | MF1002P25NV&B |

Product Dimensions

| A (mm) | 70.0 | (inch) | 2.76 |
|--------|-------|--------|------|
| C (mm) | 29.5 | (inch) | 1.16 |
| D (mm) | 70 | (inch) | 2.76 |
| E (mm) | 130.0 | (inch) | 5.12 |





Construction Materials

| Seal(s): | FPM: Fluoroelastomer | |
|-------------------------|---|--|
| Top Endcap: | Glass reinforced nylon | |
| Bottom Endcap: | Glass reinforced nylon | |
| Inner Support Cylinder: | er: Mild steel tin plated | |
| Filter Media: | Single layer cellulose (paper) with coated mesh on both sides | |

Calculated Performance Criteria

| | Pressure (∆p): 6O3968 @ 32 cSt | bar @ I/min psi @ gpm | | |
|--|---------------------------------------|--------------------------|--|--|
| Efficiency: | >Beta 200 @ N/A n >Beta 1000 @ N/A | 0 | | |
| Minimum C Tested to IS | ollapse Pressure: 6O2941 | >10 bar >145 psi | | |
| Dirt Holding Capacity acc. to ISO16889 | | | | |



ENGINEERING YOUR SUCCESS.

www.parker.com/parfit